


## Drainage Channel Basic



### DATA

Body:	Aluminium
Width:	150 mm
Length:	1000 mm
Height:	42 mm
	50 mm
Grating:	Galvanised steel
Mesh size:	30 x 10 mm

### ACCESSORIES

- End caps
- Coupling elements

### SUGGESTION FOR A TENDER

#### rm drainage channel Basic


compact body with integrated drainage trims and pre-cut or punched out wholes for direct connection to the drainage layer

Raw Material:	<input type="checkbox"/>	Aluminium		
Grating:	<input type="checkbox"/>	Galvanised steel		
Width:	<input type="checkbox"/>	150 mm		
Length:	<input type="checkbox"/>	1000 mm		
Height:	<input type="checkbox"/>	42 mm	<input type="checkbox"/>	50 mm

can be cut to length on request, to deliver and to install professionally.

### FEATURES

- For a safe drainage of flat roofs, green roofs and terraces
- Reduce connection height of 5 cm according to DIN 18195 and the directives for flat roofs, e.g. in the range of doors
- For a quick laying in alignment by coupling elements
- Robust and compact drain body can be cut to length on request
- Body height 50 mm with pre-cut whole Ø 52 mm for direct connection to the drainage layer
- Body height 42 mm with punched out whole Ø 52 mm for direct connection to the drainage layer



Punched out whole for direct connection to the drainage layer